

termux

Конфиг с кнопками:

```
cat .termux/termux.properties
### After making changes and saving you need to run `termux-reload-settings`
### to update the terminal. All information here can also be found on the
### wiki: https://wiki.termux.com/wiki/Terminal\_Settings

#####
# General
#####

### Allow external applications to execute arbitrary commands within Termux.
### This potentially could be a security issue, so option is disabled by
### default. Uncomment to enable.
# allow-external-apps = true

### Default working directory that will be used when launching the app.
# default-working-directory = /data/data/com.termux/files/home

### Uncomment to disable toasts shown on terminal session change.
# disable-terminal-session-change-toast = true

### Uncomment to not show soft keyboard on application start.
# hide-soft-keyboard-on-startup = true

### Uncomment to let keyboard toggle button to enable or disable software
### keyboard instead of showing/hiding it.
# soft-keyboard-toggle-behaviour = enable/disable

### Adjust terminal scrollback buffer. Max is 50000. May have negative
### impact on performance.
# terminal-transcript-rows = 2000

### Uncomment to use volume keys for adjusting volume and not for the
### extra keys functionality.
# volume-keys = volume
```

```
#####  
# Fullscreen mode  
#####  
  
### Uncomment to let Termux start in full screen mode.  
# fullscreen = true  
  
### Uncomment to attempt workaround layout issues when running in  
### full screen mode.  
# use-fullscreen-workaround = true  
  
#####  
# Cursor  
#####  
  
### Cursor blink rate. Values 0, 100 - 2000.  
# terminal-cursor-blink-rate = 0  
  
### Cursor style: block, bar, underline.  
# terminal-cursor-style = block  
  
#####  
# Extra keys  
#####  
  
### Settings for choosing which set of symbols to use for illustrating keys.  
### Choose between default, arrows-only, arrows-all, all and none  
# extra-keys-style = default  
  
### Force capitalize all text in extra keys row button labels.  
# extra-keys-text-all-caps = true  
  
### Default extra-key configuration  
# extra-keys = [[ESC, TAB, CTRL, ALT, {key: '-', popup: '|'}, DOWN, UP]]  
  
### Two rows with more keys  
# extra-keys = [['ESC', '/', '-', 'HOME', 'UP', 'END', 'PGUP'], \  
#               ['TAB', 'CTRL', 'ALT', 'LEFT', 'DOWN', 'RIGHT', 'PGDN']]
```

```
### Configuration with additional popup keys (swipe up from an extra key)
# extra-keys = [[ \
#   {key: ESC, popup: {macro: "CTRL f d", display: "tmux exit"}}, \
#   {key: CTRL, popup: {macro: "CTRL f BKSP", display: "tmux ←"}}, \
#   {key: ALT, popup: {macro: "CTRL f TAB", display: "tmux →"}}, \
#   {key: TAB, popup: {macro: "ALT a", display: A-a}}, \
#   {key: LEFT, popup: HOME}, \
#   {key: DOWN, popup: PGDN}, \
#   {key: UP, popup: PGUP}, \
#   {key: RIGHT, popup: END}, \
#   {macro: "ALT j", display: A-j, popup: {macro: "ALT g", display: A-g}}, \
#   {key: KEYBOARD, popup: {macro: "CTRL d", display: exit}} \
# ]]

#####
# Colors/themes
#####

### Force black colors for drawer and dialogs
# use-black-ui = true

#####
# HW keyboard shortcuts
#####

### Disable hardware keyboard shortcuts.
# disable-hardware-keyboard-shortcuts = true

### Open a new terminal with ctrl + t (volume down + t)
# shortcut.create-session = ctrl + t

### Go one session down with (for example) ctrl + 2
# shortcut.next-session = ctrl + 2

### Go one session up with (for example) ctrl + 1
# shortcut.previous-session = ctrl + 1

### Rename a session with (for example) ctrl + n
# shortcut.rename-session = ctrl + n
```

```
#####  
# Bell key  
#####  
  
### Vibrate device (default).  
# bell-character = vibrate  
  
### Beep with a sound.  
# bell-character = beep  
  
### Ignore bell character.  
# bell-character = ignore  
  
#####  
# Back key  
#####  
  
### Send the Escape key.  
# back-key=escape  
  
### Hide keyboard or leave app (default).  
# back-key=back  
  
#####  
# Keyboard issue workarounds  
#####  
  
### Letters might not appear until enter is pressed on Samsung devices  
# enforce-char-based-input = true  
  
### ctrl+space (for marking text in emacs) does not work on some devices  
# ctrl-space-workaround = true  
~ $
```

кнопочки в 2 ряда:

```
### Two rows with more keys  
extra-keys = [['ESC','/','-','HOME','UP','END','PGUP','INS'], \  
              ['TAB','CTRL','ALT','LEFT','DOWN','RIGHT','PGDN','DEL']]
```

Updated 2024-01-15 20:07:21 MSK by Ivan